



1. Substrate to minimum of 1:80 achieved primed as required for VCL
2. SIG D&T Vapour Control Layer
3. SIG D&T Approved Insulation bonded with IKOPro high performance PU adhesive. Boards to be primed with AH+ WP Primer and all joints to be sealed with AH+ Jointing Tape
4. AH+ Base Coat
5. AH+ Reinforcement Fabric
6. AH+ Top Coat
7. AH+ Jointing Tape
8. SIG D&T protection layer
9. Min. 50mm thick slabs on proprietary supports
10. Min. 50mm layer of 20-40mm Rounded Washed Aggregate
11. Bigfoot type system by others

Waterproofing should be installed in accordance with BS 6229: (Current Iteration).

AH+ Primer Chart should be consulted for relevant Primer to be utilised before commencing with AH+ waterproofing.

The details shown are indicative and for approval only and do not form part of any contract.

Further information on all AH+ products and services can be obtained through the contact details printed below.



SIG Design & Technology  
Mannheim House, Gelders Hall Road  
Shepshed, Leicestershire LE12 9NH  
Tel: 0844 443 4778 Fax: 01509 505475  
Internet: [www.singleply.co.uk](http://www.singleply.co.uk)  
Email: [info@singleply.co.uk](mailto:info@singleply.co.uk)

TITLE:  
**AH+ BIG FOOT DETAIL  
CONCRETE DECK**

DATE: <b>02.09.2019</b>	DRAWN BY: <b>RH</b>	SCALE: <b>NTS</b>
----------------------------	------------------------	----------------------

DRAWING No: <b>AH+15warm</b>	REVISION:
---------------------------------	-----------