

Green Roof Systems Overview

The vegetating of a roof surface is described under a number of generic terms: 'brown roof', 'biodiverse roof', 'living roof' etc. Each has evolved from the original terminology 'green roof' for marketing reasons or to differentiate specific methods of achieving habitat creation for flora or fauna. To further complicate matters there are generic technical descriptions, used globally in standards and code of practice, to describe the construction of green roof systems. These are Extensive, Semi-Intensive, Intensive and Biodiverse.

Following is a guide to some of the more common options available together with a brief overview of what they are and what they provide.



| Class | Generic term | Planting Options | Substrate depth | Typical weight | Benefits | Notes |
|-----------|---------------------------|--|---|--|---|---|
| Extensive | Green Roof/ Sedum Roof | Verdiroof sedum blanket: A mixture of hardy succulents, primarily Sedum species supplied in a pre-cultivated blanket (20- 25mm thick). Circa 6-9 species m ² | 50mm, increasing to 70mm in exposed coastal locations | Saturated weight 100 kg/m² @ 70mm depth | 90-95% plant cover on installation | Suitable for all roof shapes including pitches up to circa 60°. |
| | | Plug Planted: Pre-grown hardy succulents, primarily Sedums, installed at a rate of 16-20 per m ² | 70-90mm substrate depth depending on plants chosen and location | Saturated weight 100kg/m2 @ 70mm depth Saturated wright 1235 kg/m ² @ 90mm depth | 40+ species enabling tailoring of planting to suit building geography, topography, orientation, shading and/or colour/ flowering schemes | <5% plant cover on installation. Approximately 18-24 months to develop 100% cover. Wildflower plugs can be included for additional diversity. |
| | | Hydroplant & Seed: Sedum cuttings and seed sprayed in a mulch solution Circa 6-9 species m ² | 70mm, increasing to 90mm in exposed coastal locations | Saturated weight 100kg/m ² @ 70mm depth Saturated weight 125kg/m ² @ 90mm depth | Lowest cost solution especially suitable for unseen or large scale roofs. | 0% plant cover on installation. Approximately 18-30 months to develop 100% cover. |

| Class | Generic term | Planting Options | Substrate depth | Typical weight | Benefits | Notes |
|------------|-----------------------------------|---|--|---|---|--|
| Extensive | Green Roof/ Wildflower Roof | Verdiroof wildflower blanket: A mixture of grasses, wildflowers and succulents supplied in a | 110mm substrated depth depending on plants chosen and location | Saturated weight 180kg/m² @ 110mm depth | 90-95% plant cover on installation. | Can be tailored to provide optimal growth in extreme rooftop conditions. |
| | | pre-cultivated wildflower turf (30mm + thick) Circa 9 species m ² | | | | Species count can be specified for BREEAM/Code for Sustainable Homes benefit. |
| | | | | | | Suitable for all roof shapes including pitches up to circa 60° |
| | | Plug Planted: | 90-150mm substrate depth depending on plants chosen and location | Saturated weight 125kg/m ² @ 90mm depth Saturated weight 205kg/m ² @ 150mm depth | 100+ species enabling tailoring of planting to suit building geography, topography, orientation, shading and/or colour/ flowering schemes. | <10% plant cover on installation. |
| | | Pre-grown wildflowers, grasses, bulbs and hardy succulents, installed at a rate of 16-20 per m ² | | | | Apprxilored to provide optimal growth in extreme rooftop conditions. |
| | | loca | | | | Species count requirements can be specified for BREEAM and the Code for Sustainable Homes assessment. |
| | | HydroSeed/ Seed: | orepared depending on plants chosen and location | Saturated weight 125kg/m ² @ 90mm depth Saturated weight 205kg/m ² @ 150mm depth | Lowest cost solution especially suitable for unseen or large scale roofs. | 0% plant cover on installation. |
| | | Wildflower seed sprayed in a mulch solution onto a prepared | | | | Approximately 18-30 months to develop 100% cover. |
| | | substrate Or Wildflower seed hand sown onto | | | | Can be tailored to provide optimal growth in extreme rooftop conditions. |
| | | a prepared substrate. Up to 38 species m ² | | | | Species count requirements can be specified for BREEAM and the Code for Sustainable Homes assessment. |
| Biodiverse | Brown Roof | dep the | dependent upon | Loading dependent upon the design and specification | Left to nature and plant species establishes without human intervention | 0% plant cover on installation. Indeterminate time to develop cover. |
| | | | | | | Exposed uneven substrate is utilised to create a habitat for a variety of Flora and Fauna native to brownfield sites. |
| | | | | | | Includes habitat incidentals to attract beetles, insects, birds etc |

| Class | Generic term | Planting Options | Substrate depth | Typical weight | Benefits | Notes |
|------------|---|---|--|---|---|---|
| Biodiverse | Biodiverse/ Green Roof/ Living Roof | Habitat Replication or Enhancement: The use of plug plants identical to the local native plants, creating an integrated habitat template that mimics the building's surroundings. | 50mm to 450mm dependent upon the design and specification | Loading dependent upon the design and specification | Can support and/or enhance planning applications. Plant species selected in sympathy with the local environment or blending or masking a project within its locality. | Can enhance site ecology for common, uncommon and rare species, including those under Biodiversity Action Plans (BAP's). Can focus on support for specific fauna such as Bees and Butterflies, Invertebrates and Birds, Bats etc. Plant cover varies on specification. Time to develop 100% cover dependant on specification. Uneven substrate is utilised for a variety of native Flora and Fauna. Includes habitat incidentals to attract beetles, insects, birds etc Can support Biodiversity Action Plans (BAP's). |
| Intensive | Green Roof/Roof Garden/ Roof Terrace | A broad variety of trees, shrubs, bushes, grasses and other plants. | 300mm plus depending on planting specified | Saturated weight 450kg/m ² plus depending on specification | Amenity function at roof level creates more urban living space. | Only suitable for low pitched roofs. Can be used to create social space, sports space or simply enhance the working environment. Can be used to produce foods. |

SIG Design & Technology

Mannheim House, Gelders Hall Road Shepshed, Leicestershire LE12 9NH Tel: 01509 505714 Fax: 01509 50547 www.singleply.c.uk



