



PVC Box Scupper	Base x Width x Height (mm)	Spigot Length (mm)	Internal Width (mm)	Internal Height (mm)	External Width (mm)	External Height (mm)	Thickness (mm)	Flowrate (I/s)*
180 x 80	390 x 100 x 185	600	180	80	188	88	4	1.6
300 x 100	510 x 100 x 205	600	300	100	310	110	5	2.6

\*at 35m head of water





Waterproofing should be installed in accordance with BS 6229:2003 and SIG Design & Technology fixing instructions.

The details shown are indicative and for approval only and do not form part of any contract.

Data sheets for all IKO Polymeric and IKO PLC products are available on request via SIG Design & Technology.

Project specifications are available on request via SIG Design & Technology.

Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.



SIG Design & Technology
Mannheim House, Gelders Hall Road
Shepshed, Leicestershire LE12 9NH
Tel: 0844 443 4778 Fax: 01509 505475

Internet: www.singleply.co.uk Email: info@singleply.co.uk

GR-6ff

TITLE

## PVC BOX SCUPPER RWO DETAIL TECHNICAL INFO

DATE:	DRAWN BY:		SCALE:
06.04.2017	R	tН	NTS
DRAWING No:		REVISION:	